








Now, every home owner can possess this hauntingly beautiful...

# Colonel Logan ORNAMENTAL IRON





#### WHY YOU SAVE UP 为 THE COLONEL LOGAN WAY



Na "detoiled" measurements necessary before installation. Often can be fitted right on the job.




No expensive technical drawings necessary before manufacturing can proceed,




Slow, costly handwork is eliminated in manufacturing.




Mass production of standard sizes and designs reduces casts up to 1/3 but keeps quality high.



Interchangeable parts and "attachable" ornaments do much to reduce costs.



A variety of ottractive standard designs. Also many different arrange-ments may be made in the field, to vary appearance.



Adaptable to all building types — modern, traditional, ranch, Colonial, English, French. For new homes and for modernizing.



Easily installed by Da-It-Yourself home owners, as well as by regular contractors.






Fast shipment to dealers from stock, usually between 3 and 10 days after order received.




Colonel Logan is nationally advertised to millions of consumers.



The Colonel Logan line has the Gand Housekeeping Seal of Approval.





# Colonel Logan COLUMNS FOR AWNINGS, CARPORTS, PORCHES

#### **Beauty and Charm** for the home

These "Ready-Made" Porch Columns lend richness and distinction to low and medium-priced homes. A few dollars spent on Colonel Logan columns give that expensive look to the simplest dwelling. Because these columns are made in standard sizes, it is possible to produce them at the factory in large volume at low cost. These savings are passed on to the user in low, low prices on quality iron work. Installation directions attached to each shipment. All items finished one shop coat gray.



No. CA FLOOR SOCKET FOR 5" AWNING COLUMNS ONLY

These sackets are priced separately and are ordered separately. Specifications: Ht. 1", Width  $1\frac{1}{2}$ ", Length including hold down flange  $2\frac{1}{4}$ ". Will sel-screw to post. Wt. 1/4 lb. Note: Posts may be set into concrete, omitting floar sackets.



No. 30 BASE PLATE FOR 6" AWNING COLUMNS AND CARPORT COLUMNS

These base plates are furnished with each column. See page 8 for full information on Na. 30 Base Plate. If desired, posts may be set into concrete, omitting base


For extra low porches we can furnish oldstyle calumns in 9" and 12" widths which adjust top and battom (low ht. of 6'-8 1/4"). Shipment slower. Price is same. To order give regular design number and state "Old Style".



Columns Nas. A-3, A-4, A-1, A-2 ore recommended for Awnings only.



Columns of 6", 9", 12" widths may be used for Carports as well as far Porches.



SPECIFICATIONS: Awning Columns No. A-3, A-3-C can be cut to mast any height. No. A-4, A-4-C adjust from 8'-0" to 6'-61/2". Column posts are 5/8" sq. solid steel. Scroll work is 1/2" x 3/16", welded construction. Columns are load bearing, single column 400 lbs., corner 2,000 lbs., with safety factor of 2.

Nos. A-3 and A-3-C can be cut to most any ht. Nas. A-4 and A-4C

adjust from 8'-0" to 6'-61/2

SPECIFICATIONS: Awning Columns No. A-1, A-1C, A-2, A-2C adjust in height from 8'-0" to 5'-53%". Column posts are 1" sq. heavy st." tubing. Scroll wark 3/16" x 5/8", welded construction. Columns are load bearing -- single 2,000 lbs., carner 5,000 lbs, with safety factor

Ht, adjusts from 8'-0" to 5'-53/8"

Note: All calumns finished ane shop coat gray. Also available in aluminum. Write for prices. SPECIFICATIONS: Carport and Porch Columns No. CP-1, CP-1C, CP-2, CP-2C adjust in height from 9'-6" to 7'-21/8". Column pasts ore 1" sq. heavy steel tubing. Scroll work 3/16" x 5/8", welded construction. Columns are load bearing - single 2,000 lbs., carner 4,000 lbs. with safety factor of 2.

Ht. adjusts from 9'-6" to 7'-21/8

# Colonel Logan PORCH COLUMNS



BOTTOM ATTACHMENT ATTACHMENT

Low Cost - Standard Sizes - Adjustable Height

9" WIDTH



No. 19-N

Single, 23 lbs. No. 19-NC Corner, 39 lbs.

No. 7-N Single, 25 lbs.

No. 7-NC Corner, 39 lbs.

No. 16-N Single, 26 lbs.

No. 16-NC Corner, 41 lbs.

No. 8-N Single, 27 lbs.

No. 8-NC Corner, 45 lbs.

No. 9-N Single, 30 lbs.

No. 9-NC Corner, 50 lbs. No. 2-N

Single, 50 lbs.


No. 2-NC Corner, 93 lbs.

9" Width Columns have 1" square heavy steel tubing posts. Scroll work in the wrought iron designs is made of  $\frac{5}{8}$ " x  $\frac{3}{16}$ " flat. These

columns are load bearing, Single columns 2,000 lbs., corner columns 5,000 lbs., with safety foctor of two. Finished one shop coat groy. Double face costing on 2-N.

#### **ORNAMENTAL** BRACKETS


See also Pages 8-9



No. S-4 Ornamental Scroll. For use with wrought iron columns. Made of  $\frac{3}{16}$ "x1" flot. Lgth. 15". Ht. 11". Ship. wt. ea., 3 lbs.



No. S-6 Ornamental Scroll For use with wrought iron columns. Made of  $\frac{3}{16}$ "x1" flat. Lglh. 15", ht. 6". Ship. wt. eo., 2 lbs.



No. S-2 Grape Brocket (for use with No. 2-J Column). Double foce cast iron. Lgth. 17", ht. 9½". Ship. wt. eo.,


#### 12" WIDTH

# Colonel Logan

READY MADE

#### PORCH COLUMNS

Graceful "iron lace" porch columns add beauty to the home at new low cost. Note construction of Logan columns. Ornamentation extends all the way to the top, and filler bars are added at bottom. This enhances appearance. Also height adjustment now is made at bottom end only. Special Size Columns also made. Write for prices.




ALL BRACKETS FINISHED ONE SHOP COAT GRAY



No. S-4 Ornamentol Scroll. For use with wrought iron columns. Made of  $\frac{3}{16}$ "x1" flat. Lgth. 15". Ht. 11". Ship, wt. ea., 3 lbs.

No. S-17 Curly Oak Bracket (for use with No. 17-J Col-umn). Cast iron. Lgth. 19", ht. 19". Ship. wt. eo., 14 lbs.











#### No. 30 BASE PLATE

PANEL

TYPICAL Steel bose plates are furnished with each column. CORNER Formed-up flanges fit into post tubing to hold columns in place. Base plates bolt to porch floor. Size: Diameter 21/2", wt. 1/4 lb.

No. 9-J-C Nate: If desired, posts may be set into concrete,

omitting bose plates. Shown

#### COLUMNS FOR LOW PORCHES

For extra law porches Lagan can furnish old-style columns which adjust top and bottom (low ht. of 6'-81/4"). Shipment slower. Price is same. To order give regular design number and state "Old Style"



No. S-6 Ornamental Scroll (for use with wrought iron columns). Made of 3/16" x 1" flot. Lgth. 15", ht. 6". Ship. wt. ea., 2 lbs.




Na. S-15 Ornate Curve Bracket (for use with No. 15-J Column). Double face cast iron. Lgth. 22", ht. 111/2". Ship. wt. ea., 121/2 lbs.



No. S-14 Loce Design Bracket (for use with No. 14-J Column). Double face cast iron. Lgth,  $19\frac{3}{4}$ ", ht.  $10\frac{1}{4}$ ". Ship. wt. ea.,  $8\frac{1}{2}$  lbs.





No. S-2 Grape Bracket (for use with No. 2-J Column). Double face cast iron. Lgth. 17'', ht.  $9\frac{1}{2}''$ . Ship. wt. ea., 6 lbs.



**HEIGHT ADJUSTMENT FOR COLUMNS**—The  $10\frac{1}{8}$ " extension of posts at bottom permits adjustment for porch heights less than 8 ft. (Posts are cut off on job). Low-adjustment limit is  $7'-1\frac{7}{8}$ ".

GENERAL SPECIFICATIONS—Height of Panels 8 ft. (for heights less than 8 ft. cut posts off on job). Posts 1" sq. tubing, heavy gauge walls. The four wrought iron designs have scrolls 3/16"x1". Cast iron designs are double faced, except No. 17-J which has an attractive back in relief, with veining in leaves, etc. Columns are load bearing—single columns 2,000 lbs., corner columns 6,000 lbs., with safety factor of 2. Finished one shop coat gray. All columns also available in aluminum. Write for prices. Installation directions attached to each shipment.





No. 16-J



No. 8-J



No. 2-J CAST IRON Double face casting



No. 17-J CAST IRON Relieved back




No. 14-J CAST IRON Double face casting



No. 15-J CAST IRON Double face casting

# Colonel Logan STANDARD SIZE PORCH RAILINGS




1/2" SQ. PICKETS

#### No. 10-P Ten Foot Panel

Shipped in 10 ft. panels only. Installer cuts railings to required length on the job, with hacksaw. No waste because small sections always can be used on other jobs. Iron railings finished one shop coat gray. Wt. 62 lbs. Specify No. 10-PT for alternate twisted pickets, see price list. Also furnished in aluminum. Write for prices.

#### POSTS FOR PORCH RAIL

Wt. per post 4 lbs.




No. 1 INTERME-**END** CORNER POST DIATE POST POST



Typical Colonel Logan porch rail installation. Almost any style and size of porch can be fitted with these Logan "ready-made" rails.

NOTE: All posts are 1" square heavy steel tubing.



**POST** 

**POST** 

Above posts are used where Colonel Logan Porch rails and Step rails meet and join.



LS ORNAMENT (Large Scroll) Wt. 21/4 lbs. Ht. 181/2"




LD ORNAMENT (Large Diamond) Wt. 2 lbs.

No. 4 WALL END FITTING

—to secure top and bottom channels to building wall. May also be used for fas-tening porch railings to porch columns. Wt. 4 oz.

Ornaments ordered separately; assembled on pickets with set screws at time of installation. Specify style desired. See front cover, also pages 4, 5, 12, 14 and 15 for views of ornament installations. Posts also available with ball or urn at top. If Ball or Urn posts are desired

# Colonel Logan standard size step railings



add prefix "B" for Ball and prefix "U" for Urn to post numbers when ordering (Examples: No. B-1, No. B-5, No. U-1, No. U-5 posts). Ball and Urn ornaments secured on at factory, for Porch and Step railings,

stallation. Almost any style and size of steps can be fitted with these Logan "ready-made" rails.

NOTE: All posts are 1" square heavy steel tubing.


### 5

#### No. 4-5 WALL END FITTING

—to secure top and bottom channels to building wall. May also be used for fastening step railings to porch columns. Wt, 7 oz,

# Colonel Logan STANDARD SIZE DETAILS .. TYPICAL PLANS

# ABOUT 5'-0" ON CENTERS



ASSEMBLY DETAIL


Above sketch illustrates how roiling ponels are assembled with posts to form a finished roiling.




The sketch obove shows ossembly of adjustable ponel with posts, to moke a finished step roil.

#### TYPICAL ARRANGEMENTS

Numbers shown are Post Nos.





Arrangements above are typical only. Unlimited variations of Colonel Logan rails are possible to suit conditions. Plans A and C above show porch rail and step rail used in combination. Plan B shows porch rail only. Plan D shows step rail only. Any size porch or steps may be served by using additional standard-size panels.





No. 40 Base Plate. For wood surface installation. Con also be used for concrete, brick or stone. Post fits in collar and is secured by boll. Size: Diam. 4", Ht. 21½", steel. Finish, prime coat gray. Ship. wt. 3½ lb.





No. 01 Starting Scroll. Mode of  $\frac{1}{16}$ " $\times$ 1" flot. Ht. 2'-3", width 6". Ship. wt. ea.,  $3\frac{1}{2}$  lbs. Finish, one shop coot groy.


No. 02 Starting Scroll, Mode of 36"x1" flot. Ht. 2'-9", width 9". Ship. wt. eo., 51/2 lbs. Finish, one shop coat groy.

# Colonel Logan DUAL-PURPOSE RAILINGS

"DUAL-PURPOSE" is a light weight — yet sturdy railing, for use where an extra-low price is a major consideration.

Duol-Purpose offers even greater savings than the Colonel Logan regular railings. Features: Some railing sections are used for both level and step rail. Only one (1) style post is necessary.

It serves in all positions for parch railings and step railings. Railings in three lengths 10 ft., 6 ft. 4 ft. All-twisted flot pickets. Angle clips are used to secure roiling to posts with bolts. End bolt holes are drilled in railings on the job. Angle clips are bent to proper ongle for step installations, also top and bottom rails are mitre-sowed to make neat fit for step rails, on the job. Installation instructions oftoched to each shipment.



RAILING offered in three lengths: 4 ft., 6 ft., and 10 ft. with style numbers, above. Installer cuts railings to other required lengths with hocksaw. Roiling specifications as follows: Pickets  $\frac{3}{16}$ " x  $\frac{5}{6}$ " flat twisted. Top and bottom channels 1" x  $\frac{1}{12}$ " x  $\frac{1}{12}$ " x  $\frac{1}{12}$ ". Height top to bottom of roil 2'-5". Finish, prime coot gray. Shipping wt. 10' length—30 lbs. Also furnished in aluminum. Write for prices.

POST SPECIFICATIONS: Made of 1" square heavy gauge steel

tubing. All posts drilled to receive bolts on any side, for securing to railing with clips. Post can be set into concrete or other material. Also see bose plate illustration above for wood surface mounting. Finish: prime coat gray. Ship. wt. 4 lbs.

ANGLE CLIPS: Mode of flat steel. Used to secure top and bottom channels to posts or building walls. Con be bent to proper angle for step installation. 2 R. H. S. bolts furnished with each clip. One size  $\frac{3}{16}$ " x 1" and one size  $\frac{3}{16}$ " x 1½".



Cops secured to post tops by meons of spring clips inside post tubing.



No. DP-LT Lomb's Tongue Ornament, for use on end posts if desired. Secured to post with bolt. Ship. wt., 4 oz.



No. DP-16 Angle clip for securing railings to posts. Con be bent to proper ongle for step instellation. Ship. wt. 2 oz.



No. 40 Bose Plote. For wood surface installation. Can also be used for concrete, brick or stone. Post fits in collar and its secured by bolt. Size: Diom. 4", Ht. 21/g", steel. Finish, prime coot groy. Ship. wt. 3/4 1b.



No. DP-18 Railing Support. For use as o support where desired under center of roiling. Con be used in position shown or inverted. Mode of  $\frac{1}{12} (^{\infty}x)^{1}/2^{\infty}$  bent flot. Finish, groy. Ship. wt., 1/4 lbs.




No. DP-5 Ornoment. Order separately. Install on pickets with bolts. Ht. 6<sup>3</sup>/<sub>4</sub>". Finish, prime coot gray. Ship. wt. 1<sup>1</sup>/<sub>4</sub> lbs.



No. DP-D Ornoment. Order separotely. Install on pickets with bolts. Ht. 10". Finish, prime coat gray. Ship. wt., 11/4 lbs.

#### CONSTRUCTION




#### PLAIN DESIGN

Style	1 .1	Weight
No.	Length	Per Pr.
208	2′-8″	35 lbs.
302	3'-2"	37 lbs.
308	3′-8′′	46 lbs.
402	4'-2"	48 lbs.

# Colonel Logan

STANDARD SIZI

#### **ENTRANCE RAILS**




#### SMALL SCROLL DESIGN

Style		Weight
No.	Length	Per Pr.
208-S	2'-8"	36 lbs.
302-S	3'-2"	38 lbs.
308-S	3'-8"	47 lbs.
402-S	4'-2"	49 lbs.




Now, at low cost, home owners can enjoy added beauty and safety at home entrances. Note: Railings are painted one shop coat gray. Also furnished in aluminum.


Write for prices.



#### SMALL DIAMOND DESIGN

Style		Weight
No	Length	Per Pr.
208-D	2'-8"	36 lbs.
302-D	3'-2"	38 lbs.
308-D	3′-8″	47 lbs.
402-D	4'-2"	49 lbs.






Additional ornaments may be ordered separately to obtain highly decorative effects. Assembled on pickets with set screws.

BASE PLATES for wood surface installation.

If desired, base plates for securing posts to wood surfaces can be furnished. See page 12.



### DESIGN

Style		Weight
No.	Length	Per Pr.
208-LS	2'-8"	39 lbs.
302-LS	3'-2''	41 lbs.
308-LS	3′-8′′	50 lbs.
402-LS	4'-2"	52 lbs.

LARGE DIAMOND

DESIGN

Length

2'-8"

3'-2"

3'-8"

4'-2"

Style No.

208-LD

302-LD

308-LD

402-LD


Weight Per Pr.

39 lbs.

41 lbs.

50 lbs.

52 lbs.






No. 308-ST

#### ALTERNATE TWISTED PICKETS

All Colonel Logan Rails now are available in alternate square and twisted bar pickets, at slight extra cost. The alternate twisted bars give a special richness to the appearance of railings. If alternate twisted bars are desired add the letter "T" to the rail design number. Illustrated is the 3'-8" rail with scroll ornament. See price list.



All posts are 1" sq. heavy steel tubing.

# 5 popular designs, each available in 4 sizes



FOR YOUR CONVENIENCE when ordering-HERE IS THE COMPLETE LINE OF ENTRANCE RAILS


PLAIN DESIGN

SMALL SCROLL DESIGN

SMALL DIAMOND DESIGN

LARGE SCROLL DESIGN

LARGE DIAMOND DESIGN



4'-2" Long No. 402

4'-2" Long No. 402-S

4'-2" Long

No. 402-Ď


Transcriptore (Colorida)

4'-2" Long

No. 402-LS


4'-2" Long

No. 402-LD







3'-8" Long No. 308-S



3'-8" Long No. 308-D



3'-8" Long No. 308-LS



3'-8" Long No. 308-LD



3'-2" Long No. 302



3'-2" Long No. 302-S



3'-2" Long No. 302-D



3'-2" Long No. 302-LS



3'-2" Long No. 302-LD



2'-8" Long No. 208



2'-8" Long No. 208-S



2'-8" Long No. 208-D





2'-8" Long No. 208-LS



2'-8" Long No. 208-LD

#### COLONEL LOGAN STANDARD-SIZE IRON WORK






COLONEL LOGAN

PORCH RAILS - STEP RAILS

COLONEL LOGAN

PORCH COLUMNS



Occupies almost no floor space—is flat against the wall. Consists of standard items except for Display Stand No, DS-30 at left. Just set in place on wood strips. Another wood strip at top makes securing to wall or ceiling easy. Any number of items may be used for your display. A good display will pay for the small time and effort required—many times over!

#### SPECIAL DIRECT MAIL FOLDERS FOR DEALER USE

Write us for sample and details





COUNTER CARD

GOOD HOUSEKEEPING





# Sales Building No.P-31 PROMOTION PACKAGE offered at less than cost!

At low—low cost you can obtain this complete promotion package (No. P-31) which puts you in business with Ornamental Iron! Here is what you get: 1 No. DS-30 Display Stand, 1 Outdoor Sign, 1 Counter Card, 1 Good Housekeeping Card, 1 Sales Manual, 25 Catalogs, 25 Price Lists, 300 Envelope Stuffers, 100 Contractor Circulars, 1 Set News Mats.

Whether you are a regular Colonel Logan dealer, or just starting to handle this profitable line, you will wish this sales kit—a powerful stimulant to bigger and better business in ornamental iron. Order your No. P-31 Promotion Package today. See price list.

LOGAN also makes special, made-to-order work. Includes both exterior and interior railings, either level or step rails, in plain or highly ornamental designs, also porch columns. All items also available in aluminum or hot galvanized. Send simple sketch for an estimate.



This company has been operated by the same family for 3 generations since 1876 Terms 2% 10, Net 30 days, F.O.B. Louisville, Ky.

# Colonel Logan STANDARD SIZE ORNAMENTAL IRON



#### 5" AWNING COLUMNS

Design	Weig		Price
No.	Eac		Each
A-3	Single Panel	lbs.	\$ 9.25
A-3C		lbs.	15.10
A-4	Single Panel	lbs.	10.75
A-4C		lbs.	16.90
CA	Floor Socket	lbs.	1.05
	6" AWNING COLUMNS		

A-1 A-1C	Single Panel		\$11.65 18.30
A-2	Single Panel	lbs.	14.15
A-2C		lbs.	21.30

#### 6" CARPORT COLUMNS

CP-1	Single Panel	lbs.	\$14.15
CP-1C		Ibs.	22.15
CP-2	Single Panel	lbs.	16.95
CP-2C		Ibs.	27.30

#### 9" PORCH COLUMNS

19-N	Single Panel            Corner Panel	lbs.	\$12.65
19-NC		lbs.	20.80
7-N	Single Panel	lbs.	13.90
7-NC		lbs.	22.20
16-N	Single Panel            Corner Panel	lbs.	15.80
16-NC		lbs.	25.65
8-N	Single Panel	lbs.	16.25
8-NC		lbs.	26.65
9-N	Single Panel	lbs.	17.30
9-NC		lbs.	28.95
2-N	Single Panel	lbs.	32.65
2-NC		Ibs.	62.95

NOTE: All Logan Standard Size items also available in Aluminum and Hot Galvanized. Prices quoted promptly on request. All Colonel Logan standard size columns and railing finished one shop coat gray.

# 12" Colonel Logan PORCH COLUMNS

		ight Price Ich Each	
7-J	Single Panel         32           Corner Panel         56	lbs.	\$16.65
7-JC		lbs.	27.85
16-J	Single Panel         29           Corner Panel         47	lbs.	18.50
16-JC		lbs.	31.60
8-JC	Single Panel         36           Corner Panel         62	lbs. lbs.	19.30 32.45
9-JC	Single Panel         39           Corner Panel         69	lbs. Ibs.	20.80 34.85
2-J	Single Panel         52           Corner Panel         96	lbs.	36.65
2-JC		lbs.	69.95
17-J	Single Panel         51           Corner Panel         97	lbs.	37.30
17-JC		lbs.	72.30
14-J	Single Panel         73           Corner Panel         130	lbs.	40.15
14-JC		lbs.	74.65
15-J	Single Panel         65           Corner Panel         122	lbs.	40.15
15-JC		lbs.	74.65

NOTE: For extra low porches we can furnish 12" and 9" old style columns which adjust top and bottom (low ht. of 6'-8"). Shipment slower. Price is same. To order give regular design number and state "Old style".

#### ORNAMENTAL BRACKETS FOR COLUMNS

No.	No.		nt	Price Each
S-6	Ornamental Scroll	2	lbs.	\$ 1.65
S-4	Ornamental Scroll	3	lbs.	2.15
S-2	Grape Design	6	lbs.	5.05
S-14	Lace Design	81/2	lbs.	7.00
S-15	Ornate Curve	121/2	lbs.	8.80
S-17	Curly Oak	14	lbs.	9.60

ADVERTISING FOLDERS and NEWSPAPER MATS furnished free of charge on all Colonel Logan Standard Size Columns and Railings. Installation directions attached to all Columns and Railings.

**NOTE:** All Logan Standard Size items also available in Aluminum and Hot Galvanized. Prices quoted promptly on request.

All Colone standard si umns and finished or coat gray,

# Colonel Logan PORCH AND STEP RAILS

Porch and Step Rails are priced per each — not pairs

PORCH RAILS AND POSTS		
Item No.	Weight	Price Ea.
10-P Rail (Plain Square Pickets)		\$20.80
10-PT Rail (Alternate Twisted)		22.20
1 End Post — Plain	4 lbs.	3.30
1-LT End Post with Lamb's Tongue	4 lbs. 4 lbs.	4.20
3 Corner Post	4 lbs.	3.50 4.40
4 Wall-End Fitting	4 oz.	.60
STEP RAILS AND POSTS  NOTE: These step rails are adjustable to almost ar	w andla	
		-
10-S Rail (Plain Square Pickets)	56 lbs.	\$23.15
10-ST Rail (Alternate Twisted)	4 lbs.	24.55 3.95
5-A-LT Upper End Post with Lamb's Tongue	4 lbs.	4.90
7 Lower End Post — Plain	4 lbs.	4.10
7-LT Lower End Post with Lamb's Tongue	4 lbs.	5.25
9 Intermediate Post	4 lbs.	4.55
4-S Wall-End Fitting	7 oz.	.90
POSTS FOR COMBINATION OF PORCH AND	STEP	RAILS
5 Upper Post	4 lbs.	\$ 4.45
6 Left Corner Post	4 lbs.	5.15
8 Right Corner Post	4 lbs.	5.15
BASE PLATE FOR RAILING POSTS		
40 Base Plate (for any surface installation)	<sup>3</sup> / <sub>4</sub> lbs.	1.40
ORNAMENTS FOR PORCH OR STEP RAILS		
	1 lb.	\$ 1.30
"S" Ornament (Small Scroll) "D" Ornament (Small Diamond)	1 lb.	1.50
"S" Ornament (Small Scroll)  "D" Ornament (Small Diamond)  "LS" Ornament (Large Scroll)	1 lb. 21/4 lbs.	1.50 3.50
"S" Ornament (Small Scroll)  "D" Ornament (Small Diamond)  "LS" Ornament (Large Scroll)  "LD" Ornament (Large Diamond)	1 lb. 21/4 lbs. 2 lbs.	1.50 3.50 2.90
"S" Ornament (Small Scroll)  "D" Ornament (Small Diamond)  "LS" Ornament (Large Scroll)	1 lb. 21/4 lbs. 2 lbs. 1 lb.	\$ 1.30 1.50 3.50 2.90 1.45

"S", "LS" and "D", "LD" Ornaments must be ordered separately; are assembled on pickets by installer, with set screws. \*\*For Ball or Urn Ornament on post, add prefix "B" for Ball and prefix "U" for Urn to post numbers when ordering (Examples No. B-1, No. B-5, No. U-1, No. U-5 posts). Ball and Urn Ornaments are secured on at factory, for Porch & Step Railings. Add \$1.45 per post to post price.

# STARTING SCROLLS FOR RAILINGS Item No. Weight Ea. Price Ea. 01 3½ lbs. \$ 2.90 02 5½ lbs. 3.75

Logan ze colrailings ne shop

# Colonel Logan DUAL-PURPOSE RAILINGS

Dual Purpose Railings are priced per each — not pairs NOTE: Same railing used both as level Porch Rail and as Step Rail.

RAILINGS AND FITTINGS	Wei	ight	Price
Item No.	Eas	ch	Each
DP-10 Railing DP-6 Railing DP-4 Railing DP-12 Post DP-16 Clip DP-18 Railing Support DP-S Ornament (Small Scroll) DP-D Ornament (Small Diamond) DP-LT Lamb's Tongue 40 Base Plate (for any surface installation)	19 12 4 2 4 11/4 11/4	lbs. lbs. lbs. oz. oz. lbs. lbs. oz.	\$17.45 11.85 7.70 2.20 .25 .60 1.15 1.60

# Colonel Logan ENTRANCE RAILS

Entrance Rails are priced per pair

		Entrance R	ails are priced per	· pair	
	PLAIN	PICKETS	1	ALTERNATE TWISTED	
ltem No.	Length	Weight Per Pair	Price Per Pair	Item No.	Price Per Pair
	2'-8"	35 lbs.	\$17.30	208 Twist	\$18.50
208 302	3'-2"	37 lbs.	18.80	302 Twist	19.70
308	3'-8"	46 lbs.	21.30	308 Twist	23.20
402	4'-2"	48 lbs.	23.80	402 Twist	25.50
208-S	2'-8"	36 lbs.	19.90	208-S Twist	21.10
302-S	3'-2"	38 lbs.	21.40	302-S Twist	22.30
308-\$	3'-8"	47 lbs.	23.90	308-S Twist	25.80
402-S	4'-2"	49 lbs.	26.40	402-S Twist	28.10
208-D	2′-8″	36 lbs.	20.30	208-D Twist	21.50
302-D	3′-2″	38 lbs.	21.80	302-D Twist	22.70
308-D	3'-8"	47 lbs.	24.30	308-D Twist 402-D Twist	26.20 28.50
402-D	4'-2"	49 lbs.	26.80 24.30	208-LS Twist	25.50
208-LS	2′-8″ 3′-2″	39 lbs. 41 lbs.	25.80	302-LS Twist	26.70
302-LS 308-LS	3'-8"	50 lbs.	28.30	308-LS Twist	30.20
402-LS	4'-2"	52 lbs.	30.80	402-LS Twist	32.50
208-LD	2′-8″	39 lbs.	23,10	208-LD Twist	24.30
302-LD	3'-2"	41 lbs.	24.60	302-LD Twist	25.50
308-LD	3'-8"	50 lbs.	27.10	308-LD Twist	29.00
402-LD	4'-2"	52 lbs.	29.60	402-LD Twist	31.30
DACE	PLATE F	OR RAILING	POSTS		
BASE	PLAIL F	UR RAILING	a rusis	Weight	Price
Item No.				Each	Each
40 Base	Plate (for a)	ny surface insta	llation)	1½ lbs.	\$ 1.40
ADDIT	IUNAL UI	RNAMENTS	FOR ENTR		n ·
				Weight Each	Price Each
DALL O				1½ lbs.	\$ 2.10
BALL Or	mament				1.30
"D" Orn	ament (Smai	Il Diamond)			1.50
		ge Scroll)			3.50
"LD" Or	nament (Lar	ge Diamond) .		- 11	2.90
Above separate ornaments are assembled on pickets by installer with set screws.					
NOTE: Scroll and Diamond Ornaments are included in the price of 208-5, 208-0, 208-15, 208-10,					
etc. of both plain and alternate twisted pickets. ADVERTISING FOLDERS and NEWSPAPER MATS furnished free of charge. INSTALLATION directions attached to each pair of rails.					
MATS fur	nished free of	charge. INSTAL	LATION direction	ns attached to each pair of	rails.
				Weight Fa	Price Ea.

Price Ea.

\$40.84

Weight Ea.



# Logan Co.

# LOUISVILLE 6, KY. BUILDERS IRON DIVISION

August 24, 1956

Wm. Ritchie Co., Inc. 119 Bishop St. New Haven, Conn.

Gentlemen:

Enclosed find new catalog No. 80-A, on that profit-making Colonel Logan ornamental iron.

Remember - you save up to 1/3 in price on this iron work ... it comes in ready-made standard sizes with many beautiful designs to choose from ... easily fitted on the job ... no waiting for drawings to be made and other usual delays. Also fast shipment from stock.

Please note: This new catalog has been rearranged to place porch columns "in order" according to price, starting with the low-priced economy numbers and working up to the more deluxe cast iron designs.

Colonel Logan offers many sales helps, see back cover of catalog, plus national advertising and the Good Housekeeping seal.

NOW is ordering time for ever-popular ornamental iron ... see your building supply dealer today.

Sincerely LOGAN CO.

C. W. Brown Sales Manager

Builders Iron Division

